

3-6/4/59

K.H.L. Key

3/4/59. 15364. Tambourine Village.

371. North Tambourine 372.4 Mountain  
Palms Cafe. 374.2 Palm Grove National

Park. Site 1: Rainforest fringe. Moderate  
<sup>Coptotettix sp.</sup>  
slope facing east, with red loam.

Thinned from ecotone rainforest - wet  
sclerophyll. *Acacia melanoxylon*  
remaining. Tetrigids from damp soil.

Site 2: Virgin rainforest with *Archaeobuteo*  
<sup>Tepperotettix sp.</sup>

*Phoenix cunninghamii*, lianes, tree-  
ferns, ground ferns, etc. Tetrigids on wet  
rocks, <sup>with mosses, liverworts & algae,</sup> especially in small sunlit spaces.

Site 3: Wet sclerophyll forest with  
<sup>Coptotettix sp., Gomackia australasica, Cedargia</sup>  
*Eucalyptus* & *Tristania* to over 100 ft.

<sup>sp. Methiolopsis apicalata, genus nov/O (Fall) (?) sp.</sup>  
Understorey of saplings & a few shrubs,  
abundant grass to 1 ft. Tetrigids on  
damp soil & especially among fallen  
*eucalypt* leaves. Considerable sunlit  
entering.

377. Macaromia Park. Wet sclerophyll  
forest with *Eucalyptus* & *Tristania* to 100 ft.

*Cidarinia* sp., *Arctostaphylos crenata* sp.,  
and *Macrocarpaea* sp. to 10ft. sparse  
*Rhipsalis* sp. (8), *Phaulacridium vittatum*, *Lascabilla*  
herbaceous layer of forks of ferns. Red  
*mirabilis*  
loam. West side slope.

380.8. Road to Cunningham's off

381.3, Lahay's look-out. Depaup-

*Acrida conica*, *Coniaca australis*, *Cidarinia*  
*erata* sub sclerophyll 40-60ft, *Eucalypts*,  
sp., *Phaulacridium vittatum*, *Methiolopsis*,  
*Angophora imbricaria*, with *Casuarina*  
*gibbula*, Genus nov. 10(?) sp., *Lascabilla mirabilis*,  
sp. to 20ft + occ. *Banksia* sp. to 15ft.  
*Captotettix* sp.

Red loam on crest of west-facing  
scarp. Herbaceous layer mainly  
*Imperata arcuata*  
*Rhodes* grass, with patches of *Themeda*  
*australis*. ~~Thicket~~

392 - North side of line.

392.9 The Knoll. Wet sclerophyll to  
*Moraea* sp., *Methiolopsis gibbula*,  
60ft with *Casuarina* sp. to 25ft.

*Phaulacridium vittatum*, *Cidarinia* sp., *Lascabilla*  
Herbaceous layer of *Themeda australis*  
*mirabilis*  
+ coarser grasses with some ferns.

Edge of small plateau descending  
sharply to N, W, + S.

394.6 Left Mountain Pahr's Cafe.

396.7 Part way down mountain,  
Wet sclerophyll to 60ft, some *E. maculata*,



*Coptotettix* sp., Genus nov. 10 (?) sp.  
some *Tristamia*, with *Casuarina* sp.  
to 20 ft. Herbaceous cover rather  
sparse coarse grass to 1 ft. Steep slope.  
401.2 Tambourine Village.

4/4 21942. Samford. Took Mt. Glorious  
road 950.0 junction with direct  
Brisbane road 960.3 End of road. Extreme  
*Mitriola geniculata*, *Tettix* sp., *Paratettix*  
sub sclerophyll. *Tristamia* + *Eucalyptus*  
*femorialis*  
spp. to 150 ft with dense undergrowth  
of saplings, smaller trees, creepers,  
+ palm-like plants to 15 ft. Tettigids  
along roadside amongst fallen leaves,  
also at base of trees in undisturbed  
conditions. Mungid tettigids on margin  
of small artificial pool. Level crest,  
dark brown soil.

964.4. Maiala National Park. Virgin rainforest  
Genus nov. 31 sp.  
to 80 ft, with creeping ferns, arums,  
lawyer palm, etc. Herbaceous layer  
sparse, mainly ferns, young arums &  
young palms. Tettigids among litter.  
Red loam. Southerly slope.

966.9. Dry sclerophyll. Mainly E.  
<sup>Cidamia sp., Sonchidea sp.</sup>  
maculata to 7ft, with scattered  
shrubs to 6ft, occ. *Canthorhiza*,  
practically no herbaceous layer.  
Ridge with gravelly soil: sedimentary  
rock.

968.5. Wet sclerophyll, approaching  
<sup>?Tetrax sp., Cidamia sp., Methiolopsis</sup>  
ecotone to dry. *Eucalypto* to 6ft,  
<sup>gambata, Rhizala sp.</sup>  
including *maculata*. *Themeda*  
<sup>to 6ft</sup>  
*australis*, a legume similar to  
*Indigofera* to 3ft abundant, a little  
<sup>some creeping</sup> *Sesbania* (?).  
bare ground with moderate litter.  
Steep stony slope, sedimentary rock,  
brown soil. *Astracisoguttulosa*.

970.6. Turn off to Samford. Dawson  
<sup>Loxolobus quinquecaryneus, ?Tetrax sp.</sup>  
Creek. *Tetrax* on damp soil adjacent  
<sup>flowing</sup> to water. Gully forest in wet  
sclerophyll. Continued on main  
Brisbane road. Signpost says 1½ mi.  
to Mt. Nibo.

972.0 "Mt. Nibo."

973.7 Jolly's Lookout. = 973.9.



*Paratettix femoralis*, *Loxilotus pulcher*,  
*Tetrax* sp. *Moraba* sp.

*Homocidus australasiae*, Cidginiia sp., Calidia

977.1 Woodland to 50 ft. *Thymelae*  
*capitata*, *parryi* *Lasiacis mirabilis*  
 arb. to 1 ft, regrowth after fire of  
 a broom-like plant to 2 ft, & less  
 3500 ft. alt.

*Scanthobryozoa* 9

frequently of *Casuarina* sp. Dec. 1862.

Morabas on *Thumeda* only. Tetrigids

mostly sheepishly sorry.

on damp bare ground, <sup>the only specimen I found</sup> the diplicate

one on the damped sides & especially

Make of berries

the long, winged one. Broad ridge

988.8. Maculata - panicle to woodlands  
Loxilosculcher. Maculata sp. (i).

*Loxilotrupulcher*, *Moraba* sp. (j)

on broad granitic ridge with sparse

*Thermoda australis* & *Emarginata* sp.

991.8 Depot, Brisbane.

5/4. 2200 Kedron Brook Crossing  
Phaetognathus crunifrons. Parabellin temoralis.

*Rhyssomorphus cruenticeps*, Parahettin femoralis,

*Chiridion parvillaceus* in Bonsbauc - Samford road (Kerry Grove)

*Chrysothrix* *argillacea*  
Damp soil adjacent to stagnant water

005 - Sambo

008 Theimer's

008. *Tharionia* *glossa* from K. *pamada*  
*Cidarina* spp., *Leptop* nov. 10 C) sp., *Oedalium* *australe*

end-barked bloodwood a greenish

*Paratettix fumosus* (Tinsleria) P. argillaceus

*Mastophora lanceolata*, Tall to 60 ft.

*Casuarina* sp. to 20 ft. Spans with

2nd occ. body 14.5 length

grass to fr. occ. forbs. - Hesperopernus,  
Zinnia, etc. - 1/2 - 1/2 - 1/2

Troggattina, Cyrtospermus striatus.

Low rise, sedimentary.

009. Cedar Creek. Closeburn.

012. Froggattina

013. Road junction to Strathpine.

014. Samsonvale. Second junction to Strathpine.

017. As ~~last~~ 008 plus occ. *Canthorrhoea* <sup>*Cedonia* sp., *Cryptobothrus chrysophorus*, *Coryphactis* sp.</sup>

018. Cross abandoned railway, join bigger road labelled Samford-Dayboro.

021. Dayboro

025. Terror Creek. *Tristania conferta* (young)

+ *Acacia melanocalyx*

~~is swalla~~ to 30 ft ~~thata~~ fringing  
*Loxilobus pulcher*, *L. quinquecarinatus*, *Methidiotis*  
the flowering creek in cleared met  
*guineolata*, *Laxatella mirabilis*

sclerophyll. Brown soil. Tetrigids  
on moist earthen banks above  
flood level. Frogg.

032. E. pilularis to 80 ft, some *Angophora*  
*tyrus* var. 10 (?) sp., *Sonchella australasica*, G. sp.,  
intermedia to 30 ft, *Humus*, on broad  
*Laxatella mirabilis*, *Calymnognus muscicola*, *Adreppus*  
sandstone ridge. Pale grey soil.  
*tuberculatus*, *Parakittia agillacis*, *P. femoralis*  
Sclerophyllous shrubs, including

*Banksia*, *Leptospermum*, *Acacia* (L), etc.

to 3 ft, *Canthorrhoea* to 1 ft, some



Tetrigids on bare damp patches.  
Imperata, occ. Themeda australis.

Calidia, Florida.

036. Mt. Mee

044. D'Aguilar.

047. Woodford.

048. Woodlands, tending toward dry  
*Cryptobothrus chrysophonus*, *Macrobona picta*,  
sclerophyll. *E. haemastoma*, a bloodwood  
*Paralittaria fumalis*, *Loxilotus pulcher*, *Podocarpus* (f.)  
rough topped (large fruit narrow  
*musgrauvi* (f.)  
orifice), & *Angophora intermedia* on  
coarse pale sandy soil with latent  
gravel & stones. Level. Many grasses,  
including *Aristida* & *Stipa*, scattered  
shrubs of *Banksia* & one or two others,  
& *Scaevola* to 3ft.  
to 3ft. *Casuarina* sp. to 15ft. Tetrigids  
on bare damp patches.

066. Glass House.

Proceeded to Landsborough & took road  
to Maleny.

078. Roadside below damp bank  
*Loxilotus quinqueangulus*.

hopped by a rainforest reserve.

084. Landsborough

6/4. 22088. Beerwah.

090.5 Tea-tree swamp with occ. bloodwood

Moraba sp. P130, ~~Pedicularis ussuriensis~~ (~~P.~~), Laccabilla  
mirabilis, Genus nov. 9(?) sp, Goniatra australasiae

Cutting grass to 6ft, sclerophyllous  
shrubs (Leguminosae, Epacridaceae,  
<sup>Banksia</sup> Myrtaceae) to 4ft, several ferns,  
<sup>Phaulacridium urticatum</sup>  
Rationalaceae, a little ~~low~~ grass.

91.1. Glass House.

<sup>rocky</sup> (Mt. Tibrogargan)  
92.6 Low <sup>rocky</sup> forest from one of Glass House  
mountains. E. haemastoma, bloodwood,  
occ. Angophora intermedi  
a ~~tree to 50ft.~~ to 50ft. Casuarina sp.  
Macrodon pida, Atractosiphon crenatipes,  
to 15ft. Brown soil. Fairly dense  
~~Pedicularis ussuriensis~~, Laccabilla mirabilis,  
Themeda australis to 1ft, occ. Small  
<sup>Paratecton fumosus</sup>, Callitula sp. P., C. sp. P.  
shrubs, including a phyllodeacacia  
to 2ft. & Caustrophoca to 3ft.

94.0. Tibrogargan Creek, fringed with  
<sup>Oxyagalisa</sup>  
haemastoma, bloodwood, & Casuarina  
sp. Oxya in gumcaciae to 3ft fringing  
slow-flowing water. On being disturbed,  
they jumped into water: one hid  
under a leaf, other at base of grass  
stem.

95.4. Beerburum.

98.2. Haemastoma, pichloris, bloodwood,  
on gentle slope leading to tea-tree



Genus nov. 10(?) sp., Genus nov. 9(?) sp., *Macrotona*  
*picta*

swamp. *Aphyllodea* *acacia* with  
flattened stems and a few other  
shrubs to 3ft, *Canthorhiza* to 1ft,  
*Arishida* rather sparse, occ. patches  
*Thamnia australis*.

99.3 Elinibah.

104. Cahoolture. Took road to  
Beachmere.

111. Beachmere.

112. (south of Beachmere). Thinned  
*Lea tree* & *Casuarina glauca* fringing  
mangrove swamp. *Zoysia*, *Couch*,  
& halophytes. *Calidina*.  
*Diolopus*, *On dunes*  
bordering sea: *Diolopus*, *Pycnostictes*  
*senatus*.

120. Cahoolture.

124. *Haemaphysoma*, *Angophora*  
<sup>to 50ft</sup> *intermedia*, *Casuarina* sp. to 20ft,  
*Lea tree* to 15ft on swampy flat with  
*Gomera australis*, *Lascailla mirabilis*,  
scattered shrubs & regrowth to 4ft,  
*Macrotona* sp. 21, *Austraria procumbens*  
*Stipa* & *Themeda* forming dense  
stand to 1ft. *Calidina*.

131. Turned left to Redcliffe

134. Left again to Redcliffe.

135. Took Scarborough turn off

137. Scarborough.

140. Redcliffe.

149. Sandgate.

153. <sup>to coast</sup> *E. umbellifera*, *A. infermedia*, tea-  
occ.

tea, bloodwood & *Casuarina* sp., thinned,  
<sup>occ.</sup> *Loxilethrus pulcher*, *Adiantum* spp. (2),  
with regrowth. *Hybaceous laevis*,  
*Laxa bella*, *mirabilis*, *Cafedra cubitwa*, *Rapsilla*  
mainly 2 in per to 18 in. some  
*pusca*, *Goniaca australis*, *Acheropteris*  
Other grasses, occ. low shrubs.  
*obscurella*, *Asiobus tamulus*  
Froggattina.